

Test Definition: F9_IS

Factor IX Inhibitor Screen, Plasma

Reporting Title: Factor IX Inhib Scrn **Performing Location:** Rochester

Specimen Requirements:

Only orderable as a reflex. For more information see: 9INHE / Factor IX Inhibitor Evaluation, Plasma ALUPP / Lupus Anticoagulant Profile, Plasma ALBLD / Bleeding Diathesis Profile, Limited, Plasma APROL / Prolonged Clot Time Profile, Plasma

For more information see Coagulation Guidelines for Specimen Handling and Processing.

Specimen Type	Temperature	Time	Special Container
Plasma Na Cit	Frozen	14 days	

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
7802	Factor IX Inhib Scrn	Alphanumeric		30086-3

LOINC[®] and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

85335

Reference Values:

Only orderable as a reflex. For more information see: 9INHE / Factor IX Inhibitor Evaluation, Plasma ALUPP / Lupus Anticoagulant Profile, Plasma ALBLD / Bleeding Diathesis Profile, Limited, Plasma APROL / Prolonged Clot Time Profile, Plasma

Negative