

Test Definition: CMVC8

Cytomegalovirus (CMV) CD8 T-Cell Immune Competence, Quantitative Assessment by Flow Cytometry, Blood

Reporting Title: CMV CD8 T-Cell QN by Flow Cytometry

Performing Location: Rochester

Ordering Guidance:

Patient must be cytomegalovirus seropositive and have 1 or more of the 5 major histocompatibility complex alleles: HLA A1, A2, B7, B8, or B35 to utilize this assay.

Additional Testing Requirements:

It is important to ascertain the patient's and the donor's cytomegalovirus serostatus, as well as the patient's major histocompatibility complex class I HLA haplotype, before ordering this assay; see 1DIS / Human Leukocyte Antigens (HLA) A-B-C Disease Association Typing Low Resolution, Blood.

Shipping Instructions:

Specimens are required to be received in the laboratory weekdays and by 4 p.m. on Friday. Collect and package specimen as close to shipping time as possible. Ship specimen overnight in an Ambient Shipping Box-Critical Specimens Only (T668) following the instructions in the box.

It is recommended that specimens arrive within 24 hours of collection.

Samples arriving on the weekend and observed holidays may be canceled.

Necessary Information:

Ordering physician's name and phone number are required.

Specimen Requirements:

Supplies: Ambient Shipping Box-Critical Specimens Only (T668)

Container/Tube: Green top (sodium heparin)

Specimen Volume: 20 mL

Collection Instructions: Send whole blood specimen in original tube. **Do not aliquot.**

Additional Information: For serial monitoring, it is recommended that specimens are collected at the same time of day.

Forms:

Quantitative CMV Immune Competence Assay Patient Information (T592)

| Specimen Type | Temperature | Time | Special Container |
|-------------------|-------------|----------|-------------------|
| WB Sodium Heparin | Ambient | 48 hours | GREEN TOP/HEP |

Result Codes:

| Result ID | Reporting Name | Туре | Unit | LOINC® |
|-----------|--------------------------|--------------|-------|---------|
| 28157 | CMV CD8 T cells CD107 A1 | Alphanumeric | cells | 95191-3 |
| 28158 | CMV CD8 T cells CD107 A2 | Alphanumeric | cells | 95190-5 |
| 28159 | CMV CD8 T cells CD107 B7 | Alphanumeric | cells | 95189-7 |



Test Definition: CMVC8

Cytomegalovirus (CMV) CD8 T-Cell Immune Competence, Quantitative Assessment by Flow Cytometry, Blood

| 28160 | CMV CD8 T cells CD107 B8 | Alphanumeric | cells | 95188-9 |
|-------|--------------------------------|--------------|---------------|---------|
| 28161 | CMV CD8 T cells CD107 B35 | Alphanumeric | cells | 95187-1 |
| 30694 | CD107a/b expression | Alphanumeric | % CD8 T-Cells | 95203-6 |
| 28155 | CMV CD8 T cells IFN-g B35 | Alphanumeric | cells | 95193-9 |
| 28151 | CMV CD8 T cells IFN-g A1 | Alphanumeric | cells | 95197-0 |
| 28152 | CMV CD8 T cells IFN-g A2 | Alphanumeric | cells | 95196-2 |
| 28153 | CMV CD8 T cells IFN-g B7 | Alphanumeric | cells | 95195-4 |
| 28154 | CMV CD8 T cells IFN-g B8 | Alphanumeric | cells | 95194-7 |
| 30693 | IFN-gamma expression | Alphanumeric | % CD8 T-Cells | 95204-4 |
| 28162 | Total CMV CD8 T cells CD107a/b | Alphanumeric | cells | 95186-3 |
| 28156 | Total CMV CD8 T cells IFN-g | Alphanumeric | cells | 95192-1 |
| 28163 | Interpretation | Alphanumeric | | 69052-9 |
| 28145 | CMV CD8 T cells A1 | Alphanumeric | cells | 95185-5 |
| 28146 | CMV CD8 T cells A2 | Alphanumeric | cells | 95202-8 |
| 28147 | CMV CD8 T cells B7 | Alphanumeric | cells | 95201-0 |
| 28148 | CMV CD8 T cells B8 | Alphanumeric | cells | 95200-2 |
| 28149 | CMV CD8 T cells B35 | Alphanumeric | cells | 95199-6 |
| 28150 | Total CMV CD8 T cells | Alphanumeric | cells | 95198-8 |
| 28143 | Total CD3 T cells | Alphanumeric | cells | 8122-4 |
| 28144 | Total CD8 T cells | Alphanumeric | cells | 14135-8 |

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

86356 x 6 86359 86352

Reference Values:

Total CD3 T cells: 884-5830 x 10(3)/mL Total CD8 T cells: 168-1847 x 10(3)/mL Total CMV CD8 T cells: 0-115 x 10(3)/mL

The adult reference values were determined for healthy adult controls ages 20 to 80 years (n=94), for HLA A1, A2, B7, B8, and B35 alleles.

Reference values for cytomegalovirus (CMV) specific T cells that are functional (interferon-gamma+, IFN-g+) and have cytotoxic activity (CD107a and CD107b expression, CD107 a/b+):



Test Definition: CMVC8

Cytomegalovirus (CMV) CD8 T-Cell Immune Competence, Quantitative Assessment by Flow Cytometry, Blood

Total CMV CD8 T-cells IFN-g: 0.028-52.200 x 10(3)/mL Total CMV CD8 T-cells CD107a/b: 0.252-50.760 x 10(3)/mL

The 95% confidence interval reference values were determined from 102 healthy adult donors: Interferon-gamma (IFN-gamma) expression (as % CD8 T cells): 10.3-56.0% CD107a/b expression (as % CD8 T cells): 8.5-49.1%

The reference values were developed for each of the following 4 major histocompatibility complex class I alleles: A1, A2, B7, and B8 (n=45). We were unable to develop ranges for the B35 allele due to a lack of matching donors. The data is expressed as the absolute number of CMV-specific CD8 T cells that are IFN-gamma+ or CD107a/b+.