

# **Test Definition: FRFIT**

## Reporting Title: Rabies RFFIT Endpoint, S

Performing Location: RFFIT/K-State Rabies Laboratory Manhattan/K-State Innovation Center

#### Specimen Requirements:

Specimen Type: Serum

Container/Tube: Red

Specimen Volume: 2 mL

**Collection Instructions:** Draw blood in a plain red-top tube(s), Spin down and send 2 mL of serum refrigerated in a plastic vial.

#### Note: 1. Serum gel tube is acceptable, but must be poured off into plastic vial.

2. Collection date is required.

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	14 days	
	Frozen	60 days	

#### Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
Z2071	Rabies Titer-Response	Alphanumeric	IU/mL	6524-3

LOINC® and CPT codes are provided by the performing laboratory.

#### Supplemental Report:

No

# **CPT Code Information:**

86382

## **Reference Values:**

Reportable range is 0.1 to 15.0 IU/mL Less than 0.1 IU/mL: Below detection limit

In humans a results of 0.5 IU/mL or higher is considered an acceptable response to rabies vaccination according to the World Health Organization (WHO) guidelines; see WHO and Advisory Committee on Immunization Practices documents for additional guidance.