

Reporting Title: Misc Johns Hopkins-DACI Ref Lab

Performing Location: John Hopkins Univ DACI Reference Lab, Room 1A20

Specimen Requirements:

Varies

This is a Miscellaneous Referral Test. For specific requirements, please refer to the referred tests list under the catalog tab on the MCL Website (external) or the Referral Catalog (CRM) (internal). If unable to find the correct test, request forms, or specimen requirements, contact Customer Service at 1-800-533-1710 or 6-5700.

NOTE: Provide when ordering

1. Test name
2. Performing lab code
3. Specimen Type
4. Required consent and/or requisitions form including patient specific information, i.e. consent forms, clinical information, family history. Please contact Customer Service at 1-800-533-1710 or 6-5700 for required forms.

Specimen Type	Temperature	Time	Special Container
Varies	Varies		

Ask at Order Entry (AOE) Questions:

Test ID	Question ID	Description	Type	Reportable
ZW73	ZT73	Test Name	Plain Text	Yes
ZW73	ZD73	Referral Lab Code	Plain Text	Yes
ZW73	ZQ73	Specimen Type	Plain Text	Yes

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
ZT73	Test Name	Alphanumeric		19145-2
ZR73	Result	Alphanumeric		19146-0
ZF73	Flag	Alphanumeric		No LOINC Needed
ZV73	Reference Value	Alphanumeric		19147-8
ZU73	Unit of Measure	Alphanumeric		No LOINC Needed

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:

Referral