

Reporting Title: Misc UIA Otolaryngology
Performing Location: Univ. of Iowa Hosp. & Clin Dept of Otolaryngology/Molec. Research

Specimen Requirements:
Varies

This is a Miscellaneous Referral Test. For specific requirements, please refer to the referred tests list under the catalog tab on the MCL Website (external) or the Referral Catalog (CRM) (internal). If unable to find the correct test, request forms, or specimen requirements, contact Customer Service at 1-800-533-1710 or 6-5700.

- NOTE: Provide when ordering
- 1. Test name
 - 2. Performing lab code
 - 3. Specimen Type

Specimen Type	Temperature	Time	Special Container
Varies	Varies		

Ask at Order Entry (AOE) Questions:

Test ID	Question ID	Description	Type	Reportable
ZW210	ZT210	Test Name	Plain Text	Yes
ZW210	ZD210	Referral Lab Code	Plain Text	Yes
ZW210	ZQ210	Specimen Type	Plain Text	Yes

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
ZT210	Test Name	Alphanumeric		19145-2
ZR210	Result	Alphanumeric		19146-0
ZF210	Flag	Alphanumeric		No LOINC Needed
ZV210	Reference Value	Alphanumeric		19147-8
ZU210	Unit of Measure	Alphanumeric		No LOINC Needed

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:
Referral

CPT Code Information:
Varies

Reference Values:

Test Performed By: Univ of IA Molecular Otolaryngology
Research Laboratory
5270 Carver Biomedical Research Building
Iowa City, IA 52242