

Overview
Method Name

Immunoprecipitation(IPP)

NY State Available

Yes

Specimen
Specimen Type

Varies

Specimen Required

Submit only 1 of the following

Serum

Draw blood in a plain red-top tube(s), serum gel tube(s) is acceptable. Spin down and send 1 mL of serum refrigerate in plastic vial.

Plasma

Draw blood in a lavender-top (EDTA) tube(s). Spin down and send 1 mL of EDTA plasma refrigerate in plastic vial.

Specimen Minimum Volume

1 mL

Reject Due To

Hemolysis:	Mild OK ; Gross Reject
Thawing:	Warm OK; Cold OK
Lipemia:	Mild OK ; Gross Reject
Icteric:	Mild OK ; Gross Reject
Other:	NA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Refrigerated (preferred)	7 days	
	Frozen	180 days	
	Ambient	7 days	

Clinical and Interpretive

Reference Values

Negative

Interpretation

MI-2 is a Myositis specific Autoantibody and is seen in 5-10% of adult Dermatomyositis and in 5% of Juvenile Dermatomyositis cases.

Performance

PDF Report

No

Day(s) and Time(s) Test Performed

Monday through Friday

Analytic Time

14 days

Maximum Laboratory Time

16 - 18 days

Performing Laboratory Location

RDL Reference Laboratory, Inc.

Fees and Codes

Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their Regional Manager. For assistance, contact [Customer Service](#).

Test Classification

This test was developed and its performance characteristics validated by RDL. There is no FDA approved assay for this test. As a lab developed test (LDT), approval or clearance by the FDA is not required. This test may be used for clinical purposes and should not be regarded as investigational or for research.

CPT Code Information

83516

LOINC® Information

Test ID	Test Order Name	Order LOINC Value
FMI2	MI-2	18485-3



Result ID	Test Result Name	Result LOINC Value
Z2421	MI-2	18485-3