

# **Test Definition: FGHTL**

Ghrelin Total, Plasma

# Overview

#### **Method Name**

**EIA/ELISA** 

#### **NY State Available**

No

# **Specimen**

## **Specimen Type**

GI Plasma

### Specimen Required

**Patient preparation:** Patient should be fasting 10 - 12 hours prior to collection of specimen. Patient should not be on any medications or supplements that may influence: Cholecystokinin (CCK), Glucose, Growth Hormone, Insulin and/or Somatostatin levels, if possible for at least 48 hours prior to specimen collection.

Specimen Type: GI Plasma

**Container/Tube**: Special tube containing G.I. Preservative (MCL supply number T125).

Specimen Volume: 3-5 mL

**Collection Instructions:** Draw 10 mL of blood in special tube containing G.I. Preservative (MCL supply number T125). Specimen should be separated in refrigerated centrifuge as soon as possible and send 3-5 mL plasma frozen. Ship frozen.

### **Specimen Minimum Volume**

1 mL

# Reject Due To

Gross	Reject
hemolysis	
Gross lipemia	Reject
Gross icterus	Reject

## **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
GI Plasma	Frozen	180 days	

### **Clinical & Interpretive**



# **Test Definition: FGHTL**

Ghrelin Total, Plasma

#### **Clinical Information**

Ghrelin is a novel 28 amino acid peptide derived by post-translational processes from a preproghrelin consisting of 117 residues, secreted by the stomach with specific receptors in the brain involved in appetite regulation. It conveys information to the brain thereby increasing appetite, food intake and body weight and influences the release of growth hormone. Ghrelin is a growth hormone-releasing peptide which acts as an endogenous ligand of the growth hormone secretagogue receptors (GHS-Rs). Ghrelin levels are inversely correlated with body weight and are higher during weight loss.

### **Reference Values**

GHRELIN (Total): pg/mL

(Plasma)

Adult Reference Range(s)

Normal weight/control subjects: 520 - 700 pg/mL

Obese subjects prior to diet: 340 - 450 pg/mL

Levels:

8:00 am - 12:00 pm: Up to 420 pg/mL 6:00pm: Up to 480 pg/mL

Obese subjects post induced weight loss: 450 - 600 pg/mL

Levels:

8:00 am - 12:00 pm: Up to 575 pg/mL 6:00 pm: Up to 600 pg/mL

Obese subjects post gastric-bypass surgery: Up to 120 pg/mL

#### **Performance**

#### **PDF Report**

No

## Day(s) Performed

Monday through Friday

#### Report Available

9 to 11 days

# **Performing Laboratory Location**

Inter Science Institute



# **Test Definition: FGHTL**

Ghrelin Total, Plasma

## **Fees & Codes**

#### **Fees**

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

#### **Test Classification**

This test was performed using a kit that has not been cleared or approved by the FDA and is designated as research use only. The analytic performance characteristics of this test have been determined by Inter Science Institute. This test is not intended for diagnosis or patient management decisions without confirmation by other medically established means.

#### **CPT Code Information**

83520

#### **LOINC®** Information

Test ID	Test Order Name	Order LOINC® Value
FGHTL	Ghrelin Total, Plasma	76474-6

Result ID	Test Result Name	Result LOINC® Value
Z4193	Ghrelin Total, Plasma	76474-6