

Test Definition: FGAGM

Ganglioside (Asialo-GM1, GM1, GM2, GD1a, GD1b, and GQ1b) Antibodies

Overview

Method Name

Semi-Quantitative Enzyme-Linked Immunosorbent Assay

NY State Available

Yes

Specimen

Specimen Type

Serum SST

Specimen Required

Draw blood in a serum gel tube(s). Spin down and send 1 mL of serum refrigerated in a plastic vial.

Specimen Minimum Volume

0.3 mL

Reject Due To

Hemolysis	Mild OK; Grossly Reject
Lipemia	Mild OK; Grossly Reject
Icterus	Mild OK; Grossly Reject
Other	Plasma, CSF, or other body fluids. Contaminated, heat-inactivated specimens

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum SST	Refrigerated (preferred)	14 days	
	Frozen	365 days	

Clinical & Interpretive

Reference Values

29 IV or less	Negative	
30-50 IV	Equivocal	



Test Definition: FGAGM

Ganglioside (Asialo-GM1, GM1, GM2, GD1a, GD1b, and GQ1b) Antibodies

51-100 IV	Positive
101 IV or greater	Strong Positive

Interpretation

Ganglioside antibodies are associated with diverse peripheral neuropathies. Elevated antibody levels to ganglioside-monosialic acid (GM1) and the neutral glycolipid, asialo-GM1 are associated with motor or sensorimotor neuropathies, particularly multifocal motor neuropathy. Anti-GM1 may occur as IgM (polyclonal or monoclonal) or IgG antibodies. These antibodies may also be found in patients with diverse connective tissue diseases as well as normal individuals. GD1a antibodies are associated with different variants of Guillain-Barre syndrome (GBS) particularly acute motor axonal neuropathy while GD1b antibodies are predominantly found in sensory ataxic neuropathy syndrome. Anti-GQ1b antibodies are seen in more than 80 percent of patients with Miller-Fisher syndrome and may be elevated in GBS patients with ophthalmoplegia. The role of isolated anti-GM2 antibodies is unknown. These tests by themselves are not diagnostic and should be used in conjunction with other clinical parameters to confirm disease.

Performance

PDF Report

Day(s) Performed Monday, Wednesday, Friday

Report Available 1 to 8 days

Performing Laboratory Location

ARUP Laboratories

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

Test Classification

This test was developed and its performance characteristics determined by ARUP Laboratories. The U.S. Food and Drug Administration has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions.



Test Definition: FGAGM

Ganglioside (Asialo-GM1, GM1, GM2, GD1a, GD1b, and GQ1b) Antibodies

CPT Code Information

83516 x 6

LOINC[®] Information

Test ID	Test Order Name	Order LOINC [®] Value
FGAGM	Ganglioside Antibodies, IgG-IgM	82455-7
Result ID	Test Result Name	Result LOINC [®] Value
Z4245	Asialo-GM1 Antibodies, IgG-IgM	88723-2
Z4246	GM1 Antibodies, IgG-IgM	31500-2
Z4247	GM2 Antibodies, IgG-IgM	88731-5
Z4248	GD1a Antibodies, IgG-IgM	88724-0
Z4249	GD1b Antibodies, IgG-IgM	88730-7
Z4250	GQ1b Antibodies, IgG-IgM	88729-9