

# **Test Definition: BRAFV**

BRAF V600E Immunostain, Technical Component Only

### Overview

#### Useful For

Identification of BRAF V600E-mutated protein

#### **Reflex Tests**

Test Id	Reporting Name	Available Separately	Always Performed
IHTOA	IHC Additional, Tech Only	No, (Bill Only)	No
IHTOI	IHC Initial, Tech Only	No, (Bill Only)	No

#### **Testing Algorithm**

For the initial technical component only immunohistochemical (IHC) stain performed, the appropriate bill-only test ID will be reflexed and charged (IHTOI). For each additional technical component only IHC stain performed, an additional bill-only test ID will be reflexed and charged (IHTOA).

#### Method Name

Immunohistochemistry (IHC)

#### NY State Available

Yes

#### Specimen

# Specimen Type

TECHONLY

#### **Ordering Guidance**

This test includes only technical performance of the stain (no pathologist interpretation is performed). If diagnostic consultation by a pathologist is required order PATHC / Pathology Consultation.

#### **Shipping Instructions**

Attach the green pathology address label and the pink Immunostain Technical Only label included in the kit to the outside of the transport container.

#### **Specimen Required**

Supplies: Immunostain Technical Only Envelope (T693)
 Specimen Type: Tissue
 Container/Tube: Immunostain Technical Only Envelope
 Preferred: 2 Unstained positively charged glass slide (25- x 75- x 1-mm) per test ordered; sections 4-microns thick



# **Test Definition: BRAFV**

BRAF V600E Immunostain, Technical Component Only

Acceptable: Formalin-fixed, paraffin-embedded (FFPE) tissue block

#### Digital Image Access

1. Information on accessing digital images of immunohistochemical (IHC) stains and the manual requisition form can be accessed through this website: <a href="https://news.mayocliniclabs.com/ihc-stains/">https://news.mayocliniclabs.com/ihc-stains/</a>

2. Clients ordering stains using a manual requisition form will not have access to digital images.

3. Clients wishing to access digital images must place the order for IHC stains electronically. Information regarding digital imaging can be accessed through this website: <u>https://news.mayocliniclabs.com/ihc-stains/#FAQ</u>

#### Forms

If not ordering electronically, complete, print, and send a <u>Immunohistochemical (IHC)/In Situ Hybridization (ISH) Stains</u> <u>Request</u> (T763) with the specimen.

#### Reject Due To

Wet/frozen	Reject
tissue	
Cytology	
smears	
Nonformalin	
fixed tissue	
Nonparaffin	
embedded	
tissue	
Noncharged	
slides	
ProbeOn slides	

#### **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
TECHONLY	Ambient (preferred)		
	Refrigerated		

## **Clinical & Interpretive**

#### **Clinical Information**

BRAF is a serine/threonine protein kinase and a member of the Raf family. The *BRAF* V600E alteration leads to constitutive activation of the mitogen activated protein kinase pathway, which plays a role in cell proliferation and tumorigenesis. This genetic alteration has been detected in a variety of tumors such as melanoma, colorectal cancer, papillary thyroid carcinoma, hairy cell leukemia, Langerhans cell histiocytosis, and pleomorphic xanthoastrocytomas.

#### Interpretation

# MAYO CLINIC LABORATORIES

# **Test Definition: BRAFV**

BRAF V600E Immunostain, Technical Component Only

This test does not include pathologist interpretation, only technical performance of the stain. If interpretation is required, order PATHC / Pathology Consultation for a full diagnostic evaluation or second opinion of the case.

The positive and negative controls are verified as showing appropriate immunoreactivity. If a control tissue is not included on the slide, a scanned image of the relevant quality control tissue is available upon request; call 855-516-8404.

Interpretation of this test should be performed in the context of the patient's clinical history and other diagnostic tests by a qualified pathologist.

## Cautions

Age of a cut paraffin section can affect immunoreactivity. Stability thresholds vary widely among published literature and are antigen-dependent. Best practice is for paraffin sections to be cut within 6 weeks.

## **Clinical Reference**

1. Ida C, Vrana JA, Rodriguez FJ, et al. Immunohistochemistry is highly sensitive and specific for detection of BRAF V600E mutation in pleomorphic xanthoastrocytoma. Acta Neuopath communications. 2013;1:20

2. Capper D, Berghoff AS, Magerle M, et al. Immunohistochemical testing of BRAF V600E status in 1,120 tumor tissue samples of patients with brain metastases. Acta Neuropathol. 2012;123(2):223-233

3. Andrulis M, Penzel R, Weichert W, von Deimling A, Capper D. Application of a BRAF V600E Mutation-specific Antibody for the Diagnosis of Hairy Cell Leukemia. Am J Surg Pathol. 2012;36(12):1796-1800

4. Koperek O, Kornauth C, Capper D, et al. Immunohistochemical detection of the BRAF V600E-mutated protein in papillary thyroid carcinoma. Am J Surg Pathol. 2012;36(6):844-850

5. Skorokhod A, Capper D, von Deimling A, Enk A, Helmbold P. Detection of BRAF V600E mutations in skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of malignant melanoma by monoclonal antibody VE1. J Am Acad skin metastases of melanoma by monoclonal antibody VE1. J Am Acad skin metastases of melanoma by monoclonal antibody VE1. J Am Acad skin metastaseses of melanoma by monoclonal antibody VE1. J Am Acad

6. Magaki S, Hojat SA, Wei B, So A, Yong WH. An introduction to the performance of immunohistochemistry. Methods Mol Biol. 2019;1897:289-298. doi:10.1007/978-1-4939-8935-5\_25

# Performance

## **Method Description**

Immunohistochemistry on sections of paraffin-embedded tissue.(Unpublished Mayo method)

# PDF Report

No

Day(s) Performed Monday through Friday

Report Available 1 to 3 days

## **Specimen Retention Time**



# **Test Definition: BRAFV**

BRAF V600E Immunostain, Technical Component Only

Until staining is complete.

Performing Laboratory Location

Rochester

## Fees & Codes

#### Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

#### **Test Classification**

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. It has not been cleared or approved by the US Food and Drug Administration.

#### **CPT Code Information**

88342-TC, primary 88341-TC, if additional IHC

#### LOINC<sup>®</sup> Information

Test ID BRAFV	Test Order Name BRAF V600E IHC, Tech Only	Order LOINC <sup>®</sup> Value Order only;no result
	, ,	
Desult ID	Test Desult News	

Result ID	Test Result Name	Result LOINC <sup>®</sup> Value
70680	BRAF V600E IHC, Tech Only	Bill only; no result