

JC Virus Detection by In Situ Hybridization

#### Overview

**Useful For** Confirming a clinical and histopathologic diagnosis of progressive multifocal leukoencephalopathy

Method Name In Situ Hybridization (ISH)

NY State Available Yes

Specimen

Specimen Type Special

**Shipping Instructions** Attach the green pathology address label included in the kit to the outside of the transport container.

## Necessary Information

A pathology/diagnostic report and a brief history are required.

### **Specimen Required**

Specimen Type: Formalin-fixed, paraffin-embedded tissue block Supplies: Pathology Packaging Kit (T554) Specimen Volume: Entire block

**Specimen Type:** Slides **Slides:** 4 Unstained glass, positively-charged slides with 5 (+ or - 1)-microns formalin-fixed, paraffin-embedded tissue

#### Forms

If not ordering electronically, complete, print, and send an <u>Immunohistochemical (IHC)/In Situ Hybridization (ISH) Stains</u> <u>Request</u> (T763) with the specimen.

### **Reject Due To**

| Wet/frozen   | Reject |
|--------------|--------|
| tissue       |        |
| Cytology     |        |
| smears       |        |
| Nonformalin  |        |
| fixed tissue |        |



JC Virus Detection by In Situ Hybridization

| Nonparaffin    |  |
|----------------|--|
|                |  |
| embedded       |  |
| tissue         |  |
| Noncharged     |  |
| slides         |  |
| ProbeOn slides |  |

### **Specimen Stability Information**

| Specimen Type | Temperature         | Time | Special Container |
|---------------|---------------------|------|-------------------|
| Special       | Ambient (preferred) |      |                   |
|               | Refrigerated        |      |                   |

### Clinical & Interpretive

### **Clinical Information**

JC virus is the etiologic agent of progressive multifocal leukoencephalopathy (PML), a rare, demyelinating, fatal disorder of the central nervous system that occurs on a background of immune deficiency. PML is an infrequent complication of a wide variety of conditions, including lymphoproliferative disorders (Hodgkin disease, chronic lymphocytic leukemia), sarcoidosis, tuberculosis, and AIDS.

### Interpretation

This test, when not accompanied by a pathology consultation request, will be answered as either positive or negative. If additional interpretation or analysis is needed, request PATHC / Pathology Consultation along with this test.

### Cautions

Studies have shown potential cross reactivity between polyoma (BK) and JC virus in situ hybridization (ISH) testing.(1)

Age of a cut paraffin section can affect staining quality. Stability thresholds vary widely among published literature. Best practice is for paraffin sections to be cut within 6 weeks.

### **Clinical Reference**

1. Fritzsche FR, Pianca S, Gaspert A, et al: Silver-enhanced in situ hybridization for detection of polyomavirus DNA in patients with BK virus nephropathy. Diagn Mol Pathol. 2011 Jun;20(2):105-110

2. Aksamit AJ, Mourrain P, Sever JL, Major EO: Progressive multifocal leukoencephalopathy: investigation of 3 cases using in situ hybridization with JC virus biotinylated DNA probe. Ann Neurol. 1985 Oct;18(4):490-496

3. Aksamit AJ: Nonradioactive in situ hybridization in progressive multifocal leukoencephalopathy. Mayo Clin Proc. 1993 Sept;68(9):899-910

4. Muaoz-Marmol AM, Mola G, Fernandez-Vasalo A, et al: JC virus early protein detection by immunohistochemistry in progressive multifocal leukoencephalopathy: a comparative study with in situ hybridization and polymerase chain reaction. J Neuropathol Exp Neurol. 2004 Nov;63(11):1124-1130

Vago L, Cinque P, Sala E, et al: JCV-DNA and BKV-DNA in the CNS tissue and CSF of AIDS patients and normal subjects.
Study of 41 cases and review of the literature. J Acquir Immune Defic Syndr Hum Retrovirol. 1996 Jun 1;12(2):139-146
Chen H, Chen XZ, Waterboer T, et al: Viral infections and colorectal cancer: a systematic review of epidemiological



JC Virus Detection by In Situ Hybridization

studies. Int J Cancer. 2015 Jul 1:137(1)12-24

### Performance

#### **Method Description**

In situ hybridization on sections of paraffin-embedded tissue.(Unpublished Mayo method)

PDF Report

Day(s) Performed Monday through Friday

**Report Available** 5 to 7 days

Specimen Retention Time Until staining is complete.

Performing Laboratory Location Rochester

### Fees & Codes

#### Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

#### **Test Classification**

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. It has not been cleared or approved by the US Food and Drug Administration.

#### **CPT Code Information**

88365-Primary 88364-If additional ISH

### LOINC<sup>®</sup> Information

| Test ID   | Test Order Name  | Order LOINC <sup>®</sup> Value  |
|-----------|------------------|---------------------------------|
| JCV       | JC Virus ISH     | In Process                      |
|           |                  |                                 |
| Result ID | Test Result Name | Result LOINC <sup>®</sup> Value |



# JC Virus Detection by In Situ Hybridization

| 71214 | Interpretation                     | 50595-8         |
|-------|------------------------------------|-----------------|
| 71215 | Participated in the Interpretation | No LOINC Needed |
| 71216 | Report electronically signed by    | 19139-5         |
| 71218 | Material Received                  | 81178-6         |
| 71596 | Disclaimer                         | 62364-5         |
| 72115 | Case Number                        | 80398-1         |