

Test Definition: FFANA

Anti-Nuclear Antibodies, Synovial Fluid

Overview

Useful For

ANA are commonly found in a variety of autoimmune diseases. Antibody frequency increases with age in apparently healthy people. ANA patterns on Hep-2 slides provide only general clues about particles (chromatin, nucleosomes, and spliceosomes). ANA patterns (other than centromere pattern) are not reliably correlated with the presence of specific antibodies and must be further evaluated by EIA using individual ENA antigens.

Reflex Tests

Test Id	Reporting Name	Available Separately	Always Performed
FPANA	ANA Titer and Pattern	No	No
	Synovial Fluid		

Method Name

Immunofluorescence Assay (IFA)

NY State Available

Yes

Specimen

Specimen Type

Varies

Specimen Required

Specimen Type: Synovial fluid
Collection Container/Tube: Sterile container
Submission Container/Tube: Plastic vial
Specimen Volume: 1 mL
Collection Instructions:

Collect synovial fluid and transfer into a plastic vial and ship refrigerate.

2. Indicate the specimen source.

Specimen Minimum Volume

0.3 mL

Reject Due To

Gross	Reject
hemolysis:	



Test Definition: FFANA

Anti-Nuclear Antibodies, Synovial Fluid

Thawing:	Warm OK; Cold OK
Gross lipemia:	Reject
Gross icterus	Reject
Other:	Bacterial contamination; specimens other than synovial fluid

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Refrigerated (preferred)	14 days	
	Frozen	60 days	
	Ambient	7 days	

Clinical & Interpretive

Reference Values ANA Titer: <1:10

ANA Pattern: No Pattern

Performance

PDF Report

Report Available

7-11 days

Performing Laboratory Location

Esoterix Endocrinology

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

CPT Code Information

86038 86039 (if appropriate)



Test Definition: FFANA

Anti-Nuclear Antibodies, Synovial Fluid

LOINC[®] Information

Test ID	Test Order Name	Order LOINC [®] Value
FFANA	ANA, Synovial Fluid	Not Provided
Result ID	Test Result Name	Result LOINC [®] Value
Z5710	ANA Specimen Type	Result LOINC [®] Value Not Provided