

Test Definition: FASPG

Aspergillus IgG Precipitins Panel

Overview

Method Name

Gel Diffusion

NY State Available

Yes

Specimen

Specimen Type

Serum

Specimen Required

Specimen Type: Serum **Container/Tube**: Red or SST **Specimen Volume**: 1 mL

Collection Instructions: Draw blood in a plain red-top tube(s), serum gel tube is acceptable. Spin down and send 1 mL of

serum refrigerated in a plastic vial.

Specimen Minimum Volume

0.5 mL

Reject Due To

| Hemolysis: | Mild OK; Gross Reject |
|------------|-----------------------|
| Thawing: | Warm OK; Cold OK |
| Lipemia: | Mild OK; Gross Reject |
| Icterus: | Mild OK; Gross Reject |

Specimen Stability Information

| Specimen Type | Temperature | Time | Special Container |
|---------------|--------------------------|---------|-------------------|
| Serum | Refrigerated (preferred) | 28 days | |
| | Ambient | 28 days | |
| | Frozen | 28 days | |

Clinical & Interpretive



Test Definition: FASPG

Aspergillus IgG Precipitins Panel

Reference Values

Negative

Interpretation

The gel diffusion method was used to test this patients serum for the presence of precipitating antibodies (IgG) to the antigens indicated. These antibodies are serological markers for exposure and immunological sensitization. The clinical significance varies, depending on the history and symptoms.

Performance

PDF Report

No

Day(s) Performed

Monday through Friday

Report Available

5 to 11 days

Performing Laboratory Location

Eurofins Viracor

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

Test Classification

This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

CPT Code Information

86331 x 6

LOINC® Information

| Test ID | Test Order Name | Order LOINC® Value | |
|-----------|-----------------------------------|---------------------|--|
| FASPG | Aspergillus IgG Precipitins Panel | Not Provided | |
| | | | |
| Result ID | Test Result Name | Result LOINC® Value | |



Test Definition: FASPG

Aspergillus IgG Precipitins Panel

| Z5917 | Aspergillus amstelodami/glaucus | Not Provided |
|-------|---------------------------------|--------------|
| Z5918 | Aspergillus flavus | Not Provided |
| Z5919 | Aspergillus fumigatus Mix | Not Provided |
| Z5920 | Aspergillus nidulans | Not Provided |
| Z5921 | Aspergillus niger | Not Provided |
| Z5922 | Aspergillus versicolor | Not Provided |