Thank you for using version 2025.4.1104.462 of Telerik Document Processing Libraries. Access to the latest updates and support requires a license. Learn more in the documentation below. Learn more about Telerik Document Processing Libraries licensing https://docs.telerik.com/devtools/document-processing/distribution-and-licensing/license-key

MAYO CLINIC LABORATORIES

Test Definition: IAAPC

FNA Immediate Adequacy Add'l (Bill Only)

Overview

Method Name
This test is for billing purposes only.
This is not an orderable test.

NY State Available
Yes

Specimen

Specimen Type
Varies

Specimen Required
This test is for billing purposes only.
This is not an orderable test.

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Ambient (preferred)		
	Refrigerated		

Clinical & Interpretive

Reference Values
This test is for billing purposes only.
This is not an orderable test.

Performance

PDF Report
No

Performing Laboratory Location
Mayo Clinic Laboratories - Rochester Main Campus

Test Definition: IAAPC

FNA Immediate Adequacy Add'l (Bill Only)

Fees & Codes

Fees

- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

Test Classification

Not Applicable

CPT Code Information

88177