MAYO CLINIC LABORATORIES

Test Definition: FMTAG

Rickettsia typhi (murine typhus) Antibodies, IgG

Overview

Method Name
Indirect Fluorescent Antibody (IFA)

NY State Available
No

Specimen

Specimen Type
Serum

Specimen Required
Collection Container/Tube:
Preferred: Red top
Acceptable: Serum gel
Submission Container/Tube: Plastic vial
Specimen Volume: 1 mL Serum
Collection Instructions:
1. Centrifuge and aliquot 1 mL of serum into a plastic vial.
2. Send frozen.

Specimen Minimum Volume
Serum: 0.5 mL

Reject Due To

Hemolysis	Reject
Lipemia	Reject
Bacterially contaminated samples	Reject
Plasma	Reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Frozen (preferred)	90 days	
	Refrigerated	5 days	

MAYO CLINIC LABORATORIES

Test Definition: FMTAG

Rickettsia typhi (murine typhus) Antibodies, IgG

Clinical & Interpretive

Clinical Information

Refer to www.labcorp.com/test-menu/search

Reference Values

Negative: <1:64

Present or past: 1:64

Recent/active: >1:64

Performance

PDF Report

No

Day(s) Performed

Thursday

Report Available

3 to 10 days

Performing Laboratory Location

LabCorp Burlington

Fees & Codes

Fees

- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

CPT Code Information

86757

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FMTAG	Murine Typhus Antibodies, IgG	5324-9

Result ID	Test Result Name	Result LOINC® Value

Test Definition: FMTAG

Rickettsia typhi (murine typhus) Antibodies, IgG

FMTAG	Murine Typhus Antibodies, IgG	5324-9