



Test Definition: FHSPL

Histamine Plasma

Overview

Method Name

Enzyme Immunoassay (EIA)

NY State Available

Yes

Specimen

Specimen Type

Plasma EDTA

Specimen Required

Collection Container/Tube: Lavender top (EDTA)

Submission Container/Tube: Plastic vial

Specimen Volume: 1 mL Plasma

Collection Instructions:

1. Immediately place specimen on ice.
2. Centrifugation should be performed within 20 minutes of collection at 900 x g for 10 minutes at 4 degrees C.
3. Carefully remove 1 mL of EDTA plasma from the upper part of the tube and place in a plastic vial.
4. Send frozen.

Specimen Minimum Volume

Plasma: 0.5 mL

Reject Due To

Gross hemolysis	Reject
Gross lipemia	Reject
Specimens other than EDTA plasma	Reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Plasma EDTA	Frozen	28 days	

Clinical & Interpretive

Clinical Information

Refer to www.eurofins-viracor.com/test-menu/

Reference Values

0-1.0 ng/mL

Performance

PDF Report

No

Day(s) Performed

Monday, Tuesday, Thursday

Report Available

4 to 7 days

Performing Laboratory Location

Eurofins Viracor

Fees & Codes

Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

Test Classification

This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

CPT Code Information

83088

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FHSPL	Histamine Plasma	2416-6

Result ID	Test Result Name	Result LOINC® Value
FHSPL	Histamine Plasma	2416-6