MAYO CLINIC LABORATORIES

Test Definition: FIL8S

Interleukin-8 (IL-8) Serum

Overview

Method Name
Electrochemiluminescence

NY State Available
Yes

Specimen

Specimen Type
Serum

Specimen Required
Specimen Type: Serum
Collection Container/Tube: Red or SST
Submission Container/Tube: Plastic vial
Specimen Volume: 1 mL
Collection Instructions: Draw blood in a plain red-top tube(s), serum gel tube(s) is acceptable. Spin down and send 1 mL of serum frozen in a plastic vial.

Specimen Minimum Volume
1 mL

Reject Due To

Thawing:	Warm reject; Cold reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Frozen	14 days	

Clinical & Interpretive

Reference Values
<12.4 pg/mL

Test Definition: FIL8S

Interleukin-8 (IL-8) Serum

Performance

PDF Report
No

Day(s) Performed
Monday, Wednesday, Friday

Report Available
5 to 11 days

Performing Laboratory Location
Eurofins Viracor

Fees & Codes

Fees
- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

Test Classification
This test was developed and its performance characteristics determined by Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration.

CPT Code Information
83520

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FIL8S	IL-8, Serum	33211-4

Result ID	Test Result Name	Result LOINC® Value
FIL8S	IL-8, Serum	33211-4