

Test Definition: FBMO

MVista Blastomyces Quantitative Antigen,
Fluid

Overview

Method Name

Quantitative Sandwich Enzyme Immunoassay (EIA)

NY State Available

No

Specimen

Specimen Type

Varies

Specimen Required

Submit only one of the following:

Specimen Type: CSF or Bronchoalveolar Fluid **Container/Tube:** Sterile leak-proof container

Specimen Volume: 2 mL **Collection Instructions:**

CSF: Collect 2 mL of spinal fluid (CSF) in sterile leak-proof container. Send refrigerated in a plastic screw cap vial. **Bronchoalveolar Lavage**: Collect 2 mL in sterile leak-proof container. Send refrigerated in a plastic screw cap vial.

NOTE:

- 1. Specimen type is required.
- 2. Separate order required for each specimen.
- 3. Sputolysin, sodium hydroxide, and potassium hydroxide treatment degrade the analyte detected in the assay.

Specimen Minimum Volume

CSF: 0.8 mL; BAL: 0.5 mL

Reject Due To

| | Other I | Specimen that is too viscous to pipette. Tissue, biopsy, sputum, bronchial brush, tracheal aspirate, |
|--|---------|--|
| | | FNA, bone marrow aspirate, stool or samples in transport media, fixative or Isolator tubes |

Specimen Stability Information

| Specimen Type | Temperature | Time | Special Container |
|---------------|--------------------------|---------|-------------------|
| Varies | Refrigerated (preferred) | 14 days | |
| | Ambient | 14 days | |
| | Frozen | | |



Test Definition: FBMO

MVista Blastomyces Quantitative Antigen,
Fluid

Clinical & Interpretive

Reference Values

Reference Interval: None Detected

Reportable Range: 0.31 ng/mL - 20.00 ng/mL

Results above 20.00 ng/mL are reported as 'Positive, Above the Limit of Quantification'

Cautions

Cross-reactions are seen with histoplasmosis, paracoccidioidomycosis, penicilliosis, less frequently in coccidiooidomycosis, rarely in aspergillosis and possibly sporotrichosis.

Sputolysin, sodium hydroxide, and potassium hydroxide treatment degrade the analyte detected in the assay.

Performance

PDF Report

No

Day(s) Performed

Monday through Saturday

Report Available

3 to 5 days

Performing Laboratory Location

MiraVista Diagnostics

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

Test Classification

This test was developed and its performance characteristics determined by MiraVista Diagnostics. It has not been cleared or approved by the FDA; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions.

CPT Code Information



Test Definition: FBMO

MVista Blastomyces Quantitative Antigen, Fluid

87449

LOINC® Information

| Test ID | Test Order Name | Order LOINC® Value |
|---------|------------------------------|--------------------|
| FBMO | MVista Blastomyces Ag, Fluid | Not Provided |

| Result ID | Test Result Name | Result LOINC® Value |
|-----------|------------------|---------------------|
| Z5523 | Specimen Type | 31208-2 |
| Z5524 | Result: | Not Provided |
| Z5525 | Interpretation | Not Provided |