MAYO CLINIC LABORATORIES

Test Definition: FATHO

Anti-Th/To Ab

Overview

Method Name
RIPA Gel Radiography

NY State Available
Yes

Specimen

Specimen Type
Serum

Specimen Required
Collection Container/Tube:
Preferred: Red top
Acceptable: Serum gel
Submission Container/Tube: Plastic vial
Specimen Volume: 1 mL serum
Collection Instructions:
1. Within 1 hour of collection, centrifuge and aliquot 1 mL of serum into a plastic vial.
2. Send refrigerated.

Specimen Minimum Volume
Serum: 0.3 mL Note: This volume does not allow for repeat testing.

Reject Due To

Gross hemolysis:	Reject
Thawing:	Warm OK; Cold OK
Gross lipemia:	Reject
Gross icterus	Reject
Specimens other than serum	Reject
Bacterial contamination	Reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	14 days	
	Ambient	7 days	
	Frozen	60 days	

Clinical & Interpretive

Clinical Information
Refer to https://www.labcorp.com/test-menu/search

Reference Values
Negative

Performance

PDF Report
No

Report Available
16 to 25 days

Performing Laboratory Location
Esoterix Endocrinology

Fees & Codes

Fees
- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

Test Classification
This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

CPT Code Information
83516

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value

FATHO	Anti-Th/To Ab	81743-7

Result ID	Test Result Name	Result LOINC® Value
FATHO	Anti-Th/To Ab	81743-7