



Test Definition: FEUCT

Euglobulin Clot Lysis Time

Overview

Method Name

Clot Dissolution

NY State Available

Yes

Specimen

Specimen Type

Plasma Na Cit

Specimen Required

Specimen Type: Citrated plasma

Collection Container/Type: Light-blue top (sodium citrate)

Specimen Volume: 2 mL

Collection Instructions: Collect blood in 3/2% sodium citrate light blue top tube. Centrifuge within 30 minutes after collection, freeze immediately. Send 2 mL platelet-poor plasma in plastic vial frozen.

Note:

1. Prohibit exercise prior to drawing sample.
2. To avoid release of plasminogen activator, do not massage vein vigorously, pump fist excessively or leave tourniquet in place for a prolonged period.

Specimen Minimum Volume

1 mL

Reject Due To

Hemolysis	Gross Reject
Lipemia	Mild Reject; Gross Reject
Icterus	Mild Reject; Gross Reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Plasma Na Cit	Frozen	21 days	

Clinical & Interpretive

Reference Values

>60 min

Performance**PDF Report**

No

Day(s) Performed

Wednesday

Report Available

5 to 18 days

Performing Laboratory Location

Quest Diagnostics Nichols Institute

Fees & Codes**Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

Test Classification

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

CPT Code Information

85360

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FEUCT	Euglobulin Clot Lysis Time	3244-1

Result ID	Test Result Name	Result LOINC® Value
FEUCT	Euglobulin Clot Lysis Time	3244-1