MAYO CLINIC LABORATORIES

Test Definition: FVOST

Voriconazole Susceptibility Testing

Overview

Special Instructions

- Infectious Specimen Shipping Guidelines
- Fungus Testing Lab Request form

Method Name

CLSI Broth dilution

NY State Available

Yes

Specimen

Specimen Type

Varies

Shipping Instructions

1. See Infectious Specimen Shipping Guidelines in Special Instructions.
2. Place specimen in a large infectious container (T146) and label as an etiologic agent/infectious substance.

Specimen Required

Container/Tube: Agar slant or other appropriate media

Specimen volume: Organism in pure culture

Complete and submit with specimen:

1.Fungus Testing Lab request form

Collection Instructions:

1. Organism must be in pure culture, actively growing.
2. Place specimen in a large infectious container (T146) and label as etiologic agent/infectious substance.

Reject Due To

Other reasons for rejection	Specimens other than actively growing mould in pure culture

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Ambient		

Test Definition: FVOST

Voriconazole Susceptibility Testing

Clinical & Interpretive

Performance

PDF Report
Referral

Day(s) Performed
Monday - Mould
Tuesday and Thursday - Yeast

Report Available
7 to 21 days

Performing Laboratory Location
U.T. Health Science Ctr San Antonio

Fees & Codes

Fees
- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

CPT Code Information
87999-Unlisted Microbiology Procedure (Refer to patient report to apply the appropriate CPT code in place of this unlisted CPT code based on specimen organism.)
87188 x 4 for mould MIC microdilution or agar dilution (if appropriate)
87186 x 4 for yeast MIC microdilution or agar dilution (if appropriate)

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FVOST	Voriconazole Susceptibility Testing	Not Provided

Result ID	Test Result Name	Result LOINC® Value
FVOST	Voriconazole Susceptibility Testing	Not Provided