

Test Definition: ZW10

Miscellaneous Chemistry Testing, Varies

_					
	11/	er	1/1	Δ	AI
_	w	_	vı	C	w

NY State Available

No

Specimen

Specimen Type

Varies

Specimen Required

see MLI notes

Specimen Minimum Volume

see MLI notes

Reject Due To

All specimens will be evaluated at Mayo Clinic Laboratories for test suitability.

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Frozen	30 days	

Clinical & Interpretive

Reference Values

Varies

Performance

PDF Report

No

Day(s) Performed

Monday through Sunday

Report Available



Test Definition: ZW10

Miscellaneous Chemistry Testing, Varies

Varies

Performing Laboratory Location

Rochester

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

Test Classification

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. It has not been cleared or approved by the US Food and Drug Administration.

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
ZW10	Misc Chemistry Test	51991-8

Result ID	Test Result Name	Result LOINC® Value
ZT10	TEST NAME	19145-2
ZR10	Result	19146-0