MAYO CLINIC LABORATORIES

Test Definition: ZW155

Miscellaneous BioAgilytix Diagnostics

Overview

NY State Available

No

Specimen

Specimen Type

Varies

Specimen Required

This is a Miscellaneous Referral Test. For specific requirements, refer to the Referred Tests List under the Test Catalog tab on www.MayoClinicLabs.com. Internal Mayo Clinic providers: refer to the Referral Catalog in CRM. If unable to find the correct test, request forms, or specimen requirements, contact Customer Service at 800-533-1710 or 507-266-5700.

The following must be provided when ordering:
1. Test name
2. Performing lab code
3. Specimen Type
4. For required forms including requisitions and patient specific information forms, ie, consent forms, clinical information, family history, contact Customer Service at 800-533-1710 or 507-266-5700.

Specimen Minimum Volume

See Individual Test ID on the Referred Tests List

Reject Due To

All specimens will be evaluated by the processing and performing laboratories for test suitability.

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Varies		

Clinical & Interpretive

Performance

PDF Report

Referral

Day(s) Performed
Varies

Report Available
Varies

Performing Laboratory Location
BioAgilytix Diagnostics

Fees & Codes

Fees

- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

CPT Code Information
See Individual Test ID on the Referred Tests List

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
ZW155	Misc BioAgilytix Diagnostics	51991-8

Result ID	Test Result Name	Result LOINC® Value
ZT155	Test Name	19145-2
ZR155	Result	19146-0
ZF155	Flag	No LOINC Needed
ZV155	Reference Value	19147-8
ZU155	Unit of Measure	No LOINC Needed