MAYO CLINIC LABORATORIES

Test Definition: FHLAA

HLA A High Resolution

Overview

Special Instructions

- Histocompatibility Lab Transplant Testing Requisition

Method Name

Polymerase Chain Reaction (PCR) and Direct DNA Sequencing

NY State Available

Yes

Specimen

Specimen Type

Whole Blood EDTA

Specimen Required

Histocompatibility Lab Transplant Testing Requisition is required.

Container/Tube: Lavender top (EDTA)**Specimen Volume:** 14 mL

Collection Instructions:

1. Send whole blood specimen in original tube. **Do not aliquot**.
2. Specify blood on the label
3. Send ambient.

Specimen Minimum Volume

5 mL

Reject Due To

Hemolysis	Reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Whole Blood EDTA	Ambient	14 days	

Clinical & Interpretive

Clinical Information
Refer to https://versiti.org/diagnostic-labs-test-menu

Reference Values
Testing is complete. Final report has been sent to the referring laboratory.

Performance

PDF Report
Referral

Day(s) Performed
Varies

Report Available
7 to 11 days

Performing Laboratory Location
Versiti Blood Center of Wisconsin

Fees & Codes

Fees
- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

Test Classification
This test was developed and its performance characteristics determined by Versiti Wisconsin, Inc. It has not been cleared or approved by the US Food and Drug Administration. This test is used for clinical purposes. It should not be regarded as investigational or for research. This laboratory is certified under the Clinical Laboratory Improvement Amendments (CLIA) as qualified to perform high complexity clinical laboratory testing.

CPT Code Information
81380

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FHLAA	HLA A High Resolution	57290-9

Test Definition: FHLAA

HLA A High Resolution

Result ID	Test Result Name	Result LOINC® Value
Z0129	HLA A High Resolution	57290-9
Z0118	Comments:	48767-8