MAYO CLINIC LABORATORIES

Test Definition: ZW210

Miscellaneous Univ of IA Molecular Otolaryngology

Overview

Method Name
Varies

NY State Available
No

Specimen

Specimen Type
Varies

Specimen Required
This is a Miscellaneous Referral Test. For specific requirements, refer to the Referred Tests List under the Test Catalog tab on www.MayoClinicLabs.com. Internal Mayo Clinic providers: refer to the Referral Catalog in CRM. If unable to find the correct test, request forms, or specimen requirements, contact Customer Service at 800-533-1710 or 507-266-5700.

The following must be provided when ordering:
1. Test name
2. Performing lab code
3. Specimen Type
4. For required forms including requisitions and patient specific information forms, ie, consent forms, clinical information, family history, contact Customer Service at 800-533-1710 or 507-266-5700.

Specimen Minimum Volume
See Individual Test ID on the Referred Tests List

Reject Due To
All specimens will be evaluated by the processing and performing laboratories for test suitability.

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Varies		

Clinical & Interpretive

Reference Values

MAYO CLINIC LABORATORIES

Test Definition: ZW210

Miscellaneous Univ of IA Molecular Otolaryngology

Test Performed By: Univ of IA Molecular Otolaryngology
Research Laboratory
5270 Carver Biomedical Research Building
Iowa City, IA 52242

Performance

PDF Report
Referral

Day(s) Performed
Varies

Report Available
Varies

Performing Laboratory Location
Univ. of Iowa Hosp. & Clin Dept of Otolaryngology/Molec. Research

Fees & Codes

Fees
- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

CPT Code Information
See Individual Test ID on the Referred Tests List

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
ZW210	Misc UIA Otolaryngology	51991-8

Result ID	Test Result Name	Result LOINC® Value
ZT210	Test Name	19145-2
ZR210	Result	19146-0
ZF210	Flag	No LOINC Needed
ZV210	Reference Value	19147-8
ZU210	Unit of Measure	No LOINC Needed