

Reporting Title: Pompe Disease Full Gene Analysis **Performing Location:** Rochester

Ordering Guidance:

For first tier testing for individuals older than 6 weeks with a suspected diagnosis of Pompe disease, order PDBS / Pompe Disease, Blood Spot. If the patient is 6 weeks old or younger, order PD2T / Pompe Disease Second-Tier Newborn Screening, Blood Spot.

Alternatively, enzyme studies can be performed on whole blood; order GAAW / Acid Alpha-Glucosidase, Leukocytes.

For measurement of ongoing therapeutic monitoring, order HEX4 / Glucotetrasaccharides, Random, Urine.

Shipping Instructions:

Specimen preferred to arrive within 96 hours of collection.

Specimen Requirements:

Patient Preparation: A previous bone marrow transplant from an allogenic donor will interfere with testing. Call 800-533-1740 for instructions for testing patients who have received a bone marrow transplant.

Submit only 1 of the following specimens:

Preferred: Specimen Type: Whole blood Container/Tube: Preferred: Lavender top (EDTA) or yellow top (ACD) Acceptable: Any anticoagulant Specimen Volume: 3 mL Collection Instructions: 1. Invert several times to mix blood. 2. Send whole blood specimen in original tube. Do not aliquot. Specimen Stability Information: Ambient (preferred)/Refrigerated

Specimen Type: Cultured fibroblasts Container/Tube: T-75 or T-25 flask Specimen Volume: 1 Full T-75 or 2 full T-25 flasks Specimen Stability Information: Ambient (preferred)/Refrigerated 24 hours Additional Information: A separate culture charge will be assessed under CULFB / Fibroblast Culture for Biochemical or Molecular Testing. An additional 3 to 4 weeks is required to culture fibroblasts before genetic testing can occur.

Specimen Type: Skin biopsy Supplies: Fibroblast Biopsy Transport Media (T115) Container/Tube: Sterile container with any standard cell culture media (eg, minimal essential media, RPMI 1640). The solution should be supplemented with 1% penicillin and streptomycin. Specimen Volume: 4-mm punch Specimen Stability Information: Refrigerated (preferred)/Ambient

Test Definition: GAAZ

Pompe Disease, Full Gene Analysis, Varies

Additional Information: A separate culture charge will be assessed under CULFB / Fibroblast Culture for Biochemical or Molecular Testing. An additional 3 to 4 weeks is required to culture fibroblasts before genetic testing can occur.

Specimen Type: Blood spot Supplies: Card - Blood Spot Collection (Filter Paper) (T493) Container/Tube: Preferred: Collection card (Whatman Protein Saver 903 Paper) Acceptable: PerkinElmer 226 (formerly Ahlstrom 226) filter paper or blood spot collection card Specimen Volume: 2 to 5 Blood spots on collection card Collection Instructions: 1. An alternative blood collection option for a patient older than 1 year is a fingerstick. For detailed instructions, see How to Collect Dried Blood Spot Samples. 2. Let blood dry on the filter paper at ambient temperature in a horizontal position for a minimum of 3 hours.3. Do not expose specimen to heat or direct sunlight. 4. Do not stack wet specimens. 5. Keep specimen dry Specimen Stability Information: Ambient (preferred)/Refrigerated Additional Information: 1. Due to lower concentration of DNA yielded from blood spot, it is possible that additional specimen may be required to complete testing. 2. For collection instructions, see Blood Spot Collection Instructions 3. For collection instructions in Spanish, see Blood Spot Collection Card-Spanish Instructions (T777)

4. For collection instructions in Chinese, see Blood Spot Collection Card-Chinese Instructions (T800)

Specimen Minimum Volume:

Blood: 1 mL Blood Spots: 5 punches-3 mm diameter

Forms:

1. New York Clients-Informed consent is required. Document on the request form or electronic order that a copy is on file. The following documents are available in Special Instructions:

-Informed Consent for Genetic Testing (T576)

-Informed Consent for Genetic Testing-Spanish (T826)

1AYO CLINIC

2. Molecular Genetics: Congenital Inherited Diseases Patient Information (T521) in Special Instructions

Specimen Type	Temperature	Time	Special Container
Varies	Varies		



Ask at Order Entry (AOE) Questions:

Test ID	Question ID	Description	Туре	Reportable
CULFB	CG770	Reason for Referral	Plain Text	No
CULFB	CG899	Specimen	Plain Text	No

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
53915	Result Summary	Alphanumeric		50397-9
53916	Result	Alphanumeric		82939-0
53917	Interpretation	Alphanumeric		69047-9
53918	Additional Information	Alphanumeric		48767-8
53919	Specimen	Alphanumeric		31208-2
53920	Source	Alphanumeric		31208-2
53921	Released By	Alphanumeric		18771-6

LOINC and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

81406-GAA (glucosidase, alpha; acid) (eg, glycogen storage disease type II [Pompe disease]), full gene sequence 88233-Tissue culture, skin or solid tissue biopsy (if appropriate) 88240-Cryopreservation (if appropriate)

Reflex Tests:

Test ID	Reporting Name	CPT Units	CPT Code	Always Performed	Orderable Separately
CULFB	Fibroblast Culture for Genetic Test			No	Yes



Result Codes for Reflex Tests:

Test ID	Result ID	Reporting Name	Туре	Unit	LOINC®
CULFB	52327	Result Summary	Alphanumeric		50397-9
CULFB	52329	Interpretation	Alphanumeric		69965-2
CULFB	52328	Result	Alphanumeric		82939-0
CULFB	CG770	Reason for Referral	Alphanumeric		42349-1
CULFB	CG899	Specimen	Alphanumeric		31208-2
CULFB	52331	Source	Alphanumeric		31208-2
CULFB	52332	Method	Alphanumeric		85069-3
CULFB	54625	Additional Information	Alphanumeric		48767-8
CULFB	52333	Released By	Alphanumeric		18771-6

Reference Values:

An interpretive report will be provided.