

**Reporting Title:** Dilute Russells Viper Venom Time, P**Performing Location:** Rochester**Additional Testing Requirements:**

Serum anticardiolipin antibody testing (CLPMG / Phospholipid [Cardiolipin] Antibodies, IgG and IgM, Serum) and anti-beta-2 glycoprotein I (B2GMG / Beta-2 Glycoprotein 1 Antibodies, IgG and IgM, Serum) antibody testing should also be performed in conjunction with coagulation-based testing for lupus anticoagulant to enhance detection of different types of antiphospholipid antibodies.

**Specimen Requirements:**

Only orderable as part of a profile or reflex. For more information see:

ALUPP / Lupus Anticoagulant Profile, Plasma

AATHR / Thrombophilia Profile, Plasma and Whole Blood

APROL / Prolonged Clot Time Profile, Plasma

ALBLD / Bleeding Diathesis Profile, Limited, Plasma

ADIC / Disseminated Intravascular Coagulation/Intravascular Coagulation and Fibrinolysis (DIC/ICF) Profile, Plasma

**Specimen Minimum Volume:**

See Specimen Required

Specimen Type	Temperature	Time	Special Container
Plasma Na Cit	Frozen	14 days	

**Result Codes:**

Result ID	Reporting Name	Type	Unit	LOINC®
RVR1	DRVVT Screen Ratio	Numeric	ratio	15359-3

LOINC and CPT codes are provided by the performing laboratory.

**Supplemental Report:**

No

**CPT Code Information:**

85613-DRVVT

85613-DRVVT mix (if appropriate)

85613-DRVVT confirmation (if appropriate)

**Reflex Tests:**

Test ID	Reporting Name	CPT Units	CPT Code	Always Performed	Orderable Separately
DRV2	DRVVT Mix			No	No
DRV3	DRVVT Confirmation			No	No

**Result Codes for Reflex Tests:**

Test ID	Result ID	Reporting Name	Type	Unit	LOINC®
DRV2	RVMR2	DRVVT Mix Ratio	Numeric	ratio	75512-4
DRV3	RVCR3	DRVVT Confirm Ratio	Numeric	ratio	50410-0

**Reference Values:**

Only orderable as part of a profile or reflex. For more information see:

ALUPP / Lupus Anticoagulant Profile, Plasma

AATHR / Thrombophilia Profile, Plasma and Whole Blood

APROL / Prolonged Clot Time Profile, Plasma

ALBLD / Bleeding Diathesis Profile, Limited, Plasma

ADIC / Disseminated Intravascular Coagulation/Intravascular Coagulation and Fibrinolysis (DIC/ICF) Profile, Plasma

< 1.20

Normal ranges for children: not clearly established, but similar to normal ranges for adults, except for newborn infants whose results may not reach adult values until 3 to 6 months of age.