
Reporting Title: N. gonorr, Misc, Amplified RNA**Performing Location:** Rochester**Ordering Guidance:**

This test is used for specimens that are not US Food and Drug Administration (FDA) approved for this assay. Acceptable non-FDA-approved specimen types are ocular swabs and peritoneal fluid.

For FDA-approved specimen types, order GCRNA / Neisseria gonorrhoeae, Nucleic Acid Amplification, Varies.

Necessary Information:

Specimen source is required.

Specimen Requirements:

Submit only 1 of the following specimens:

Specimen Type: Ocular (corneal/conjunctiva)

Supplies:

Aptima Unisex Swab Collection Kit (T583)

Aptima Multitest Swab Specimen Collection Kit (T584)

Container/Tube: Aptima Multitest Swab or Aptima Collection Unisex Swab

Specimen Volume: Swab

Collection Instructions:

1. Swab site using Aptima Multitest Swab or Aptima Collection Unisex Swab. Specimens must be collected using either of these options.

Note: The white swab provided within the collection kit is a cleaning swab and should not be used for collection. Discard the white cleaning swab.

2. Place collection swab in transport tube provided in collection kit. Snap off swab at score line so swab fits into closed tube.

3. Cap tube securely and label tube with patient's entire name and collection date and time.

4. Maintain swab container at 2 to 30 degrees C (refrigerate temperature is preferred), transport within 60 days of collection.

Specimen Type: Peritoneal fluid (pelvic wash, cul-de-sac fluid)

Supplies: Aptima Thin Prep Transport Tube (T652)

Container/Tube: Aptima specimen transfer tube

Specimen Volume: 1 mL

Collection Instructions:

1. Transfer 1 mL of specimen into the Aptima specimen transfer tube within 24 hours of collection.

2. Cap tube securely and label tube with patient's entire name and collection date and time.

3. Maintain Aptima specimen transfer tube at 2 to 30 degrees C (refrigerate temperature is preferred), transport within 30 days of collection.

Specimen Minimum Volume:

See Specimen Required

Forms:

If not ordering electronically, complete, print, and send a Microbiology Test Request (T244) with the specimen.

Specimen Type	Temperature	Time	Special Container
Varies	Refrigerated (preferred)		APTIMA VIAL
	Ambient		APTIMA VIAL
	Frozen		APTIMA VIAL

Ask at Order Entry (AOE) Questions:

Test ID	Question ID	Description	Type	Reportable
MGRNA	SRC22	SOURCE:	Plain Text	Yes

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
SRC22	SOURCE:	Alphanumeric		31208-2
34508	N. gonorr, Misc, Amplified RNA	Alphanumeric		43305-2

LOINC and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

87591

Reference Values:

Negative