
Reporting Title: Syphilis IgG w/ Reflex, EIA, S
Performing Location: Rochester**Specimen Requirements:**

Collection Container/Tube:

Preferred: Serum gel

Acceptable: Red top

Submission Container/Tube: Plastic vial

Specimen Volume: 1.5 mL

Collection Instructions: Centrifuge and aliquot serum into a plastic vial.

Specimen Minimum Volume:

1 mL

Forms:

If not ordering electronically, complete, print, and send Infectious Disease Serology Test Request (T916)

Specimen Type	Temperature	Time	Special Container
Serum	Frozen	14 days	

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
SYPH1	Syphilis IgG w/ Reflex, EIA, S	Alphanumeric		47238-1

LOINC and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

86780-Syphilis IgG Screen

86592-Syphilis Rapid Plasma Reagin Screen (if appropriate)

86593-Rapid Plasma Reagin Titer (if appropriate)

86780-Syphilis Antibody by TP-PA (if appropriate)

Reflex Tests:

Test ID	Reporting Name	CPT Units	CPT Code	Always Performed	Orderable Separately
RRPRS	RPR Screen w/ Reflex to Titer, S			No	No
RTPPA	Syphilis Ab, TP-PA, S			No	Yes (Order TPPA)
RRPRQ	RPR Titer, S			No	No

Result Codes for Reflex Tests:

Test ID	Result ID	Reporting Name	Type	Unit	LOINC®
RRPRS	616866	RPR Screen w/ Reflex to Titer, S	Alphanumeric		20507-0
RTPPA	34512	Syphilis Ab, TP-PA, S	Alphanumeric		24312-1
RRPRQ	41738	RPR Titer, S	Alphanumeric		31147-2

Reference Values:

SYPHILIS IgG SCREEN
Nonreactive

RAPID PLASMA REAGIN SCREEN
Negative

RAPID PLASMA REAGIN TITER
Negative

SYPHILIS ANTIBODY, Treponema pallidum-PARTICLE AGGLUTINATION
Negative

Reference values apply to all ages