MAYOCLINIC
 Test Definition: VIRID
 LABORATORIES
 Viral Susceptibility, Defects in Intrinsic and Innate Immunity, Gene

Panel, Varies

Reporting Title: Viral Susceptibility Gene Panel **Performing Location:** Rochester

Ordering Guidance:

For patients with Epstein-Barr virus (EBV) susceptibility or a heritable predisposition to lymphoproliferative diseases, see EBLPD / Epstein-Barr Virus (EBV) Susceptibility and Lymphoproliferative Disorders Gene Panel, Varies.

Targeted testing for familial variants (also called site-specific or known variants testing) is available for the genes on this panel. See FMTT / Familial Variant, Targeted Testing, Varies. To obtain more information about testing option, call 800-533-1710.

Shipping Instructions:

Specimen preferred to arrive within 96 hours of collection.

Specimen Requirements:

Patient Preparation: A previous bone marrow transplant from an allogenic donor will interfere with testing. Call 800-533-1710 for instructions for testing patients who have received a bone marrow transplant.

Submit only 1 of the following specimens:

Specimen Type: Whole blood Container/Tube: Preferred: Lavender top (EDTA) or yellow top (ACD) Acceptable: Any anticoagulant Specimen Volume: 3 mL Collection Instructions: 1. Invert several times to mix blood. 2. Send whole blood specimen in original tube. Do not aliquot. Specimen Stability Information: Ambient (preferred) 4 days/Refrigerated Specimen Type: Skin biopsy

Supplies: Fibroblast Biopsy Transport Media (T115) Container/Tube: Sterile container with any standard cell culture media (eg, minimal essential media, RPMI 1640). The solution should be supplemented with 1% penicillin and streptomycin. Specimen Volume: 4-mm punch Specimen Stability Information: Refrigerated (preferred)/Ambient Additional Information: A separate culture charge will be assessed under CULFB /Fibroblast Culture for Biochemical or Molecular Testing. An additional 3 to 4 weeks is required to culture fibroblasts before genetic testing can occur.

Specimen Type: Cultured fibroblasts Container/Tube: T-25 flask Specimen Volume: 2 Flasks Collection Instructions: Submit confluent cultured fibroblast cells from a skin biopsy from another laboratory. Cultured cells from a prenatal specimen will not be accepted.
 MAYO CLINIC
 Test Definition: VIRID

 LABORATORIES
 Viral Susceptibility, Defects in Intrinsic and Innate Immunity, Gene

Panel, Varies

Specimen Stability Information: Ambient (preferred)/Refrigerated (<24 hours)

Additional Information: A separate culture charge will be assessed under CULFB /Fibroblast Culture for Biochemical or Molecular Testing. An additional 3 to 4 weeks is required to culture fibroblasts before genetic testing can occur.

Specimen Minimum Volume:

Blood: 1 mL; Skin biopsy or cultured fibroblasts: See Specimen Required

Forms:

1. New York Clients-Informed consent is required. Document on the request form or electronic order that a copy is on file. The following documents are available:

-Informed Consent for Genetic Testing (T576)

-Informed Consent for Genetic Testing (Spanish) (T826)

2. Molecular Genetics: Congenital Inherited Diseases Patient Information (T521)

3. Viral Susceptibility, Lymphoproliferation, and Hemophagocytic Lymphohistiocytosis Patient Information

Specimen Type	Temperature	Time	Special Container
Varies	Varies		

Ask at Order Entry (AOE) Questions:

Test ID	Question ID	Description	Туре	Reportable
CULFB	CG770	Reason for Referral	Plain Text	No
CULFB	CG899	Specimen	Plain Text	No

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
619901	Test Description	Alphanumeric		62364-5
619902	Specimen	Alphanumeric		31208-2
619903	Source	Alphanumeric		31208-2
619904	Result Summary	Alphanumeric		50397-9
619905	Result	Alphanumeric		82939-0
619906	Interpretation	Alphanumeric		69047-9
619907	Additional Results	Alphanumeric		82939-0

 MAYOCLINIC
 Test Definition: virul

 LABORATORIES
 Viral Susceptibility, Defects in Intrinsic and Innate Immunity, Gene
Panel, Varies
 Panel, Varies

Result ID	Reporting Name	Туре	Unit	LOINC®
619908	Resources	Alphanumeric		99622-3
619909	Additional Information	Alphanumeric		48767-8
619910	Method	Alphanumeric		85069-3
619911	Genes Analyzed	Alphanumeric		82939-0
619912	Disclaimer	Alphanumeric		62364-5
619913	Released By	Alphanumeric		18771-6

LOINC and CPT codes are provided by the performing laboratory.

Supplemental Report:

Supplemental

CPT Code Information:

81443 88233-Tissue culture, skin, solid tissue biopsy (if appropriate) 88240-Cryopreservation (if appropriate)

Reflex Tests:

Test ID	Reporting Name	CPT Units	CPT Code	Always Performed	Orderable Separately
CULFB	Fibroblast Culture for Genetic Test			No	Yes

Result Codes for Reflex Tests:

Test ID	Result ID	Reporting Name	Туре	Unit	LOINC®
CULFB	52327	Result Summary	Alphanumeric		50397-9
CULFB	52329	Interpretation	Alphanumeric		69965-2
CULFB	52328	Result	Alphanumeric		82939-0
CULFB	CG770	Reason for Referral	Alphanumeric		42349-1
CULFB	CG899	Specimen	Alphanumeric		31208-2
CULFB	52331	Source	Alphanumeric		31208-2

 MAYOCLINIC
 Test Definition: VIRID

 LABORATORIES
 Viral Susceptibility, Defects in Intrinsic and Innate Immunity, Gene
 Panel, Varies

Test ID	Result ID	Reporting Name	Туре	Unit	LOINC®
CULFB	52332	Method	Alphanumeric		85069-3
CULFB	54625	Additional Information	Alphanumeric		48767-8
CULFB	52333	Released By	Alphanumeric		18771-6

Reference Values:

An interpretive report will be provided.