

Test Definition: TRAM

Tramadol and Metabolite, Random, Urine

Reporting Title: Tramadol and Metabolite, U **Performing Location:** Rochester

Additional Testing Requirements:

If urine creatinine is required or adulteration of the sample is suspected, the following test should also be ordered ADULT / Adulterants Survey, Random, Urine.

Specimen Requirements:

Supplies: Sarstedt Aliquot Tube, 5 mL (T914)
Collection Container/Tube: Plastic urine container
Submission Container/Tube: Plastic vial
Specimen Volume: 1 mL
Collection Instructions:
1. Collect a random urine specimen.
2. No preservative.
Additional Information:
1. No specimen substitutions.
2. STAT requests are not accepted for this test.
3. Submitting less than 1 mL will compromise our ability to perform all necessary testing.

Specimen Minimum Volume:

0.5 mL

Forms:

If not ordering electronically, complete, print, and send a Therapeutics Test Request (T831) with the specimen.

Specimen Type	Temperature	Time	Special Container
Urine	Refrigerated (preferred)	14 days	
	Ambient	14 days	
	Frozen	14 days	

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
35914	Tramadol	Alphanumeric	ng/mL	20561-7



Test Definition: TRAM

Tramadol and Metabolite, Random, Urine

Result ID	Reporting Name	Туре	Unit	LOINC®
35915	O-desmethyltramadol	Alphanumeric	ng/mL	92639-4

LOINC and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

80373 G0480 (if appropriate)

Reference Values:

Cutoff: 25 ng/mL