

---

**Reporting Title:** Oxycodone w/metabolite Conf, U  
**Performing Location:** Rochester

**Ordering Guidance:**

For situations where chain of custody is required, a Chain-of-Custody Kit (T282) is available. For chain-of-custody testing, order OXYCX / Oxycodone with Metabolite Confirmation, Chain of Custody, Random, Urine.

Additional drug panels and specific requests are available; call 800-533-1710 or 507-266-5700.

**Additional Testing Requirements:**

If urine creatinine is required or adulteration of the sample is suspected, the following test should also be ordered, ADULT / Adulterants Survey, Random, Urine.

**Specimen Requirements:**

Supplies: Sarstedt 5 mL Aliquot Tube (T914)

Collection Container/Tube: Plastic urine container

Submission Container/Tube: Plastic, 5-mL tube

Specimen Volume: 3 mL

Collection Instructions:

1. Collect a random urine specimen.
2. No preservative.

Additional Information:

1. No specimen substitutions.
2. STAT requests are not accepted for this test.
3. Submitting <1 mL will compromise our ability to perform all necessary testing.

**Specimen Minimum Volume:**

1 mL

**Forms:**

If not ordering electronically, complete, print, and send a Therapeutics Test Request (T831) with the specimen.

Specimen Type	Temperature	Time	Special Container
Urine	Refrigerated (preferred)	28 days	
	Frozen	28 days	
	Ambient	14 days	

**Result Codes:**

Result ID	Reporting Name	Type	Unit	LOINC®
62616	Oxycodone-by LC-MS/MS	Alphanumeric	ng/mL	16249-5
42010	Noroxycodone-by LC-MS/MS	Alphanumeric	ng/mL	61425-5
35965	Oxymorphone-by LC-MS/MS	Alphanumeric	ng/mL	17395-5
42011	Noroxymorphone-by LC-MS/MS	Alphanumeric	ng/mL	90894-7
36022	Oxycodone Interpretation	Alphanumeric		69050-3

LOINC and CPT codes are provided by the performing laboratory.

**Supplemental Report:**

No

**CPT Code Information:**

80365

G0480 (if appropriate)

**Reference Values:**

Negative

Cutoff concentrations by liquid chromatography-tandem mass spectroscopy:

Oxycodone: 25 ng/mL

Noroxycodone: 25 ng/mL

Oxymorphone: 25 ng/mL

Noroxymorphone: 25 ng/mL