

Reporting Title: PT-Fibrinogen, P**Performing Location:** Rochester**Specimen Requirements:**

Only orderable as part of a coagulation reflex. For more information see:

ALUPP / Lupus Anticoagulant Profile, Plasma

ALBLD / Bleeding Diathesis Profile, Limited, Plasma

AATHR / Thrombophilia Profile, Plasma and Whole Blood

APROL / Prolonged Clot Time Profile, Plasma

ADIC / Disseminated Intravascular Coagulation/Intravascular Coagulation and Fibrinolysis (DIC/ICF) Profile, Plasma

| Specimen Type | Temperature | Time | Special Container |
|---------------|-------------|---------|-------------------|
| Plasma Na Cit | Frozen | 14 days | |

Result Codes:

| Result ID | Reporting Name | Type | Unit | LOINC® |
|-----------|------------------|---------|-------|--------|
| PTFIB | PT-Fibrinogen, P | Numeric | mg/dL | 3255-7 |

LOINC and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

85385

Reference Values:

Only orderable as part of a coagulation reflex. For more information see:

ALUPP / Lupus Anticoagulant Profile, Plasma

ALBLD / Bleeding Diathesis Profile, Limited, Plasma

AATHR / Thrombophilia Profile, Plasma and Whole Blood

APROL / Prolonged Clot Time Profile, Plasma

ADIC / Disseminated Intravascular Coagulation/Intravascular Coagulation and Fibrinolysis (DIC/ICF) Profile, Plasma

261-595 mg/dL

In normal full-term newborns and in healthy pre-mature infants (30-36 weeks gestation) fibrinogen is near adult levels (>150) and remains at adult levels throughout childhood.