
Reporting Title: PMS2 IHC, Tech Only**Performing Location:** Rochester**Ordering Guidance:**

This test includes only technical performance of the stain (no pathologist interpretation is performed). If diagnostic consultation by a pathologist is required, order PATHC / Pathology Consultation.

Shipping Instructions:

Attach the green "Attention Pathology" address label (T498) and the pink Immunostain Technical Only label included in the kit to the outside of the transport container.

Necessary Information:

If sending normal and tumor blocks; indicate the block number to be stained in performing lab notes (electronic orders) or on the enclosed paperwork (manual orders).

Specimen Requirements:

Supplies: Immunostain Technical Only Envelope (T693)

Specimen Type: Tissue

Container/Tube: Immunostain Technical Only Envelope

Preferred: 2 Unstained positively charged glass slides (25- x 75- x 1-mm) per test ordered; sections 4-microns thick

Acceptable: Formalin-fixed, paraffin-embedded tissue block

Forms:

If not ordering electronically, complete, print, and send a Immunohistochemical (IHC)/In Situ Hybridization (ISH) Stains Request (T763) with the specimen.

| Specimen Type | Temperature | Time | Special Container |
|---------------|---------------------|------|-------------------|
| TECHONLY | Ambient (preferred) | | |
| | Refrigerated | | |

Result Codes:

| Result ID | Reporting Name | Type | Unit | LOINC® |
|-----------|---------------------|--------------|------|------------------|
| 70852 | PMS2 IHC, Tech Only | Alphanumeric | | Bill only; no re |

LOINC and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

88342-TC, primary
88341-TC, if additional IHC

Reflex Tests:

| Test ID | Reporting Name | CPT Units | CPT Code | Always Performed | Orderable Separately |
|---------|---------------------------|-----------|----------|------------------|----------------------|
| IHTOI | IHC Initial, Tech Only | | | No | No |
| IHTOA | IHC Additional, Tech Only | | | No | No |