

# **Test Definition: CRY\_S**

Cryoglobulin, Serum

Reporting Title: Cryoglobulin, S Performing Location: Rochester

# Ordering Guidance:

This test is also available as a part of a profile to assess for both cryofibrinogen and cryoglobulin. For more information see CRGSP / Cryoglobulin and Cryofibrinogen Panel, Serum and Plasma.

## Specimen Requirements:

Collection Container/Tube: Red top (serum gel/SST are not acceptable)

Submission Container/Tube: Plastic vial

Specimen Volume: 5 mL Collection Instructions:

- 1. Tube must remain at 37 degrees C.
- 2. Allow blood to clot at 37 degrees C.
- 3. Centrifuge at 37 degrees C. Do not use a refrigerated centrifuge. If absolutely necessary, ambient temperature is acceptable. It is very important that the specimen remain at 37 degrees C until after separation of serum from red blood cells.
- 4. Place serum into an appropriately labeled plastic vial.

Additional Information: Analysis cannot be performed with less than 3 mL of serum. Smaller volumes are insufficient to detect clinically important trace (mixed) cryoglobulins. Less than 3 mL will require collection and submission a new specimen.

## **Specimen Minimum Volume:**

3 mL

#### Forms:

If not ordering electronically, complete, print, and send a Renal Diagnostics Test Request (T830) with the specimen.

Specimen Type	Temperature	Time	Special Container
Serum Red	Refrigerated (preferred)		
	Frozen		

# **Test Definition: CRY\_S**

Cryoglobulin, Serum

#### **Result Codes:**

Result ID	Reporting Name	Туре	Unit	LOINC®
2684	Cryoglobulin, S	Alphanumeric	%ppt	12201-0

LOINC and CPT codes are provided by the performing laboratory.

# **Supplemental Report:**

No

#### **CPT Code Information:**

82595

#### **Reflex Tests:**

Test ID	Reporting Name	CPT Units	CPT Code	Always Performed	Orderable Separately
IMFXC	Immunofixation Cryoglobulin			No	No

## **Result Codes for Reflex Tests:**

Test ID	Result ID	Reporting Name	Туре	Unit	LOINC®
IMFXC	28265	Immunofixation Cryoglobulin	Alphanumeric		48638-1

# **Reference Values:**

Negative (positives reported as percent or trace amount)

If positive after 1 or 7 days, immunotyping of the cryoprecipitate is performed at an additional charge.