

Test Definition: BILEA

Bile Acids, Total, Serum

Reporting Title: Bile Acids, Total, S

Performing Location: Rochester

Ordering Guidance:

This test is for evaluation of hepatobiliary dysfunction.

For evaluation of bowel dysfunction, order BA48F / Bile Acids, Bowel Dysfunction, 48 Hour, Feces. For evaluation of patients treated with urso or cholate, order BAFS / Bile Acids, Fractionated and Total, Serum. For evaluation of inborn errors of metabolism, order BAIPD / Bile Acids for Peroxisomal Disorders, Serum.

Specimen Requirements:

Patient Preparation: Patient must be fasting for 12 hours. Infants and pregnant patients do not need to fast.

Container/Tube: Preferred: Serum gel Acceptable: Red top

Submission Container/Tube: Plastic vial

Specimen Volume: 0.5 mL Collection Instructions:

1. Serum gel tubes should be centrifuged within 2 hours of collection.

2. Red-top tubes should be centrifuged and serum aliquoted into plastic vial within 2 hours of collection.

Specimen Minimum Volume:

0.25 mL

Forms:

If not ordering electronically, complete, print, and send a Gastroenterology and Hepatology Test Request (T728) with the specimen.

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	7 days	
	Frozen	30 days	
	Ambient	24 hours	



Test Definition: BILEA

Bile Acids, Total, Serum

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
BILEA	Bile Acids, Total, S	Numeric	mcmol/L	14628-2

LOINC and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

82239

Reference Values:

< or =10 mcmol/L

Reference interval applies to fasting total bile acid concentrations.