

Test Definition: FRT4

T4 (Thyroxine), Free, Serum

Reporting Title: T4 (Thyroxine), Free, S

Performing Location: Rochester

Specimen Requirements:

Patient Preparation: For 12 hours before specimen collection do not take multivitamins or dietary supplements containing

biotin (vitamin B7), which is commonly found in hair, skin, and nail supplements and multivitamins.

Collection Container/Tube: Preferred: Serum gel Acceptable: Red top

Submission Container/Tube: Plastic vial

Specimen Volume: 1 mL

Collection Instructions: Centrifuge and aliquot serum into a plastic vial.

Specimen Minimum Volume:

0.5 mL

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	14 days	
	Frozen	30 days	
	Ambient	72 hours	

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
FRT4	T4 (Thyroxine), Free, S	Numeric	ng/dL	83122-2

LOINC and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

84439



Test Definition: FRT4

T4 (Thyroxine), Free, Serum

Reference Values:

Pediatric

0-5 days: 0.9-2.5 ng/dL 6 days-2 months: 0.9-2.2 ng/dL

3-11 months: 0.9-2.0 ng/dL 1-5 years: 1.0-1.8 ng/dL 6-10 years: 1.0-1.7 ng/dL 11-19 years: 1.0-1.6 ng/dL

Adult (> or =20 years): 0.9-1.7 ng/dL

For SI unit Reference Values, see www.mayocliniclabs.com/order-tests/si-unit-conversion.html