

Test Definition: DAGL

Gliadin (Deamidated) Antibody, IgA, Serum

Reporting Title: Gliadin(Deamidated) Ab, IgA, S

Performing Location: Rochester

Ordering Guidance:

Cascade testing is recommended for celiac disease. Cascade testing ensures that testing proceeds in an algorithmic fashion. The following cascades are available; select the appropriate one for your specific patient situation.

- -CDCOM / Celiac Disease Comprehensive Cascade, Serum and Whole Blood: complete testing including HLA DQ
- -CDSP / Celiac Disease Serology Cascade, Serum: complete serology testing excluding HLA DQ
- -CDGF / Celiac Disease Gluten-Free Cascade, Serum and Whole Blood: for patients already adhering to a gluten-free diet

To order individual tests, see Celiac Disease Diagnostic Testing Algorithm.

Specimen Requirements:

Collection Container/Tube: Preferred: Serum gel Acceptable: Red top

Submission Container/Tube: Plastic vial

Specimen Volume: 0.5 mL

Collection Instructions: Centrifuge and aliquot serum into a plastic vial.

Specimen Minimum Volume:

0.4 mL

Forms:

If not ordering electronically, complete, print, and send a Gastroenterology and Hepatology Test Request (T728) with the specimen.

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	21 days	
	Frozen	21 days	

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
DAGL	Gliadin(Deamidated) Ab, IgA, S	Numeric	U	47393-4

LOINC and CPT codes are provided by the performing laboratory.



Test Definition: DAGL

Gliadin (Deamidated) Antibody, IgA, Serum

Supplemental Report:

No

CPT Code Information:

86258

Reference Values:

Negative: <20.0 U

Weak positive: 20.0-30.0 U

Positive: >30.0 U

Reference values apply to all ages.