

Reporting Title: Cadmium Occupational Monitor, B**Performing Location:** Rochester**Specimen Requirements:**

Patient Preparation: High concentrations of gadolinium and iodine are known to potentially interfere with most inductively coupled plasma mass spectrometry-based metal tests. If either gadolinium- or iodine-containing contrast media has been administered, a specimen should not be collected for 96 hours.

Supplies: Metal Free B-D Tube (EDTA), 6 mL (T183)

Container/Tube: Royal blue top (EDTA) Vacutainer plastic trace element blood collection tube

Specimen Volume: Full tube

Collection Instructions:

1. See Metals Analysis Specimen Collection and Transport for complete instructions.
2. Send whole blood specimen in original collection tube. Do not aliquot.

Specimen Minimum Volume:

0.3 mL

Specimen Type	Temperature	Time	Special Container
Whole blood	Refrigerated (preferred)	28 days	
	Ambient	28 days	
	Frozen	28 days	

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
89539	Cadmium Occupational Monitor, B	Numeric	mcg/L	5609-3

LOINC and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

82300

Reference Values:

< 5.0 mcg/L

Reference values apply to all ages.