

Test Definition: FVIST

Hydroxyzine (Vistaril, Atarax), Serum

Reporting Title: Hydroxyzine (Vistaril) **Performing Location:** Medtox Laboratories, Inc.

Specimen Requirements:

Submit only 1 of the following specimens:

Plasma

Draw blood in a green-top (sodium heparin) tube(s), plasma gel tube is not acceptable. Spin down and send 3 mL sodium heparin plasma refrigerated in a plastic vial.

Serum

Draw blood in a plain red-top tube(s), serum gel tube is not acceptable. Spin down and send 3 mL of serum refrigerated in a plastic vial.

Specimen Minimum Volume:

0.6 mL

Specimen Type	Temperature	Time	Special Container
Varies	Refrigerated (preferred)	7 days	
	Frozen	180 days	
	Ambient	72 hours	

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
Z1151	Hydroxyzine (Vistaril)	Alphanumeric		3686-3

LOINC and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

80299



Test Definition: FVIST

Hydroxyzine (Vistaril, Atarax), Serum

Reference Values:

Reference Range: 10 - 100 ng/mL