

**Reporting Title:** Isoniazid (INH), S**Performing Location:** Medtox Laboratories, Inc.**Specimen Requirements:**

Specimen Type: Serum

Container/Tube: Red-top

Specimen Volume: 2 mL

Collection Instructions: Draw blood in a plain red-top tube(s), serum gel tube is not acceptable. Spin down and send 2 mL of serum refrigerated in a plastic vial.

**Specimen Minimum Volume:**

0.5 mL

| Specimen Type | Temperature              | Time     | Special Container |
|---------------|--------------------------|----------|-------------------|
| Serum Red     | Refrigerated (preferred) | 14 days  |                   |
|               | Frozen                   | 180 days |                   |
|               | Ambient                  | 72 hours |                   |

**Result Codes:**

| Result ID | Reporting Name     | Type         | Unit | LOINC® |
|-----------|--------------------|--------------|------|--------|
| Z1207     | Isoniazid (INH), S | Alphanumeric |      | 3697-0 |

LOINC and CPT codes are provided by the performing laboratory.

**Supplemental Report:**

No

**CPT Code Information:**

80299

---

**Reference Values:**

Units: ug/mL

The effective concentration range of isoniazid is dependent upon the minimum inhibitory concentration of the pathogen being treated.

Toxic range: greater than 20 ug/mL