

**Reporting Title:** Misc Univ TX-Tyler Micro  
**Performing Location:** University of Texas Health Center

**Specimen Requirements:**

Varies

This is a Miscellaneous Referral Test. For specific requirements, please refer to the referred tests list under the catalog tab on the MCL Website (external) or the Referral Catalog (CRM) (internal). If unable to find the correct test, request forms, or specimen requirements, contact Customer Service at 1-800-533-1710 or 6-5700.

NOTE: Provide when ordering

1. Test name
2. Performing lab code
3. Specimen Type

Specimen Type	Temperature	Time	Special Container
Varies	Varies		

**Ask at Order Entry (AOE) Questions:**

Test ID	Question ID	Description	Type	Reportable
ZW191	ZT191	Test Name	Plain Text	Yes
ZW191	ZD191	Referral Lab Code	Plain Text	No
ZW191	ZQ191	Specimen Type	Plain Text	No

**Result Codes:**

Result ID	Reporting Name	Type	Unit	LOINC®
ZT191	Test Name	Alphanumeric		19145-2
ZR191	Result	Alphanumeric		19146-0
ZF191	Flag	Alphanumeric		No LOINC Needed
ZV191	Reference Value	Alphanumeric		19147-8
ZU191	Unit of Measure	Alphanumeric		No LOINC Needed

LOINC and CPT codes are provided by the performing laboratory.

---

**Supplemental Report:**

Referral

**CPT Code Information:**

Varies

**Reference Values:**

Test Performed By: University of Texas Health Center  
Department of Microbiology  
11937 US Hwy 271  
Tyler, TX 75708