

Test Definition: MPAGP

ABORATORIES Methylmalonic Aciduria-Propionic Aciduria Combined Gene Panel,
Varies

Reporting Title: MMA PA Combined Gene Panel

Performing Location: Rochester

Ordering Guidance:

Additional recommended first-tier tests to screen for methylmalonic acidemia include plasma acylcarnitine profile (ACRN / Acylcarnitines, Quantitative, Plasma), quantitative plasma amino acids (AAQP / Amino Acids, Quantitative, Plasma), urine organic acids (OAU / Organic Acids Screen, Urine), and homocysteine (HCYSP / Homocysteine, Total, Plasma or HCYSS / Homocysteine, Total, Serum).

Customization of this panel and single gene analysis for any gene present on this panel is available. For more information see CGPH/ Custom Gene Panel, Hereditary, Next-Generation Sequencing, Varies.

Targeted testing for familial variants (also called site-specific or known mutations testing) is available for the genes on this panel. See FMTT / Familial Variant, Targeted Testing, Varies. To obtain more information about this testing option, call 800-533-1710.

Shipping Instructions:

Specimen preferred to arrive within 96 hours of collection.

Specimen Requirements:

Patient Preparation: A previous bone marrow transplant from an allogenic donor will interfere with testing. For instructions for testing patients who have received a bone marrow transplant, call 800-533-1710.

Submit only 1 of the following specimens:

Specimen Type: Whole blood

Container/Tube: Lavender top (EDTA) or yellow top (ACD)

Specimen Volume: 3 mL Collection Instructions:

1. Invert several times to mix blood.

Send whole blood specimen in original tube. Do not aliquot.Specimen Stability Information: Ambient (preferred)/Refrigerated

Specimen Type: Skin biopsy

Supplies: Fibroblast Biopsy Transport Media (T115)

Container/Tube: Sterile container with any standard cell culture media (eg, minimal essential media, RPMI 1640). The

solution should be supplemented with 1% penicillin and streptomycin.

Specimen Volume: 4-mm punch

Specimen Stability Information: Refrigerated (preferred)/Ambient

Additional Information: A separate culture charge will be assessed under CULFB / Fibroblast Culture for Biochemical or

Molecular Testing. An additional 3 to 4 weeks is required to culture fibroblasts before genetic testing can occur.

Specimen Type: Cultured fibroblast

Container/Tube: T-25 flask Specimen Volume: 2 Flasks



Test Definition: MPAGP

ABORATORIES Methylmalonic Aciduria-Propionic Aciduria Combined Gene Panel,
Varies

Collection Instructions: Submit confluent cultured fibroblast cells from a skin biopsy from another laboratory. Cultured cells from a prenatal specimen will not be accepted.

Specimen Stability Information: Ambient (preferred)/Refrigerated (<24 hours)

Additional Information: A separate culture charge will be assessed under CULFB / Fibroblast Culture for Biochemical or Molecular Testing. An additional 3 to 4 weeks is required to culture fibroblasts before genetic testing can occur.

Specimen Type: Blood spot

Supplies: Card-Blood Spot Collection (Filter Paper) (T493)

Container/Tube:

Preferred: Collection card (Whatman Protein Saver 903 Paper)

Acceptable: PerkinElmer 226 (formerly Ahlstrom 226) filter paper or blood spot collection card

Specimen Volume: 5 Blood spots

Collection Instructions:

- 1. An alternative blood collection option for a patient older than 1 year is a fingerstick. For detailed instructions, see How to Collect Dried Blood Spot Samples.
- 2. Let blood dry on the filter paper at ambient temperature in a horizontal position for a minimum of 3 hours.
- 3. Do not expose specimen to heat or direct sunlight.
- 4. Do not stack wet specimens.
- 5. Keep specimen dry

Specimen Stability Information: Ambient (preferred)/Refrigerated

Additional Information:

- 1. Due to lower concentration of DNA yielded from blood spot, it is possible that additional specimen may be required to complete testing.
- 2. For collection instructions, see Blood Spot Collection Instructions
- 3. For collection instructions in Spanish, see Blood Spot Collection Card-Spanish Instructions (T777)
- 4. For collection instructions in Chinese, see Blood Spot Collection Card-Chinese Instructions (T800)

Specimen Type: Saliva

Patient Preparation: Patient should not eat, drink, smoke, or chew gum 30 minutes prior to collection.

Supplies: Saliva Swab Collection Kit (T786)

Specimen Volume: 1 swab

Collection Instructions: Collect and send specimen per kit instructions.

Specimen Stability Information: Ambient 30 days

Additional Information: Due to lower concentration of DNA yielded from saliva, it is possible that additional specimen may

be required to complete testing.

Specimen Minimum Volume:

See Specimen Required

Forms:

- 1. New York Clients-Informed consent is required. Document on the request form or electronic order that a copy is on file. The following documents are available:
- -Informed Consent for Genetic Testing (T576)
- -Informed Consent for Genetic Testing (Spanish) (T826)
- 2. Molecular Genetics: Biochemical Disorders Patient Information (T527)

Varies

| Specimen Type | Type Temperature Time | | Special Container |
|---------------|-----------------------|--|-------------------|
| Varies | Varies | | |

Ask at Order Entry (AOE) Questions:

| Test ID | Question ID | Description | Туре | Reportable |
|---------|-------------|---------------------|------------|------------|
| CULFB | CG770 | Reason for Referral | Plain Text | No |
| CULFB | CG899 | Specimen | Plain Text | No |

Result Codes:

| Result ID | Reporting Name | Туре | Unit | LOINC® |
|-----------|-------------------------------|--------------|------|---------|
| 608668 | Test Description Alphanumeric | | | 62364-5 |
| 608669 | Specimen | Alphanumeric | | 31208-2 |
| 608670 | Source | Alphanumeric | | 31208-2 |
| 608671 | Result Summary | Alphanumeric | | 50397-9 |
| 608672 | Result | Alphanumeric | | 82939-0 |
| 608673 | Interpretation | Alphanumeric | | 69047-9 |
| 608674 | Resources | Alphanumeric | | 99622-3 |
| 608675 | Additional Information | Alphanumeric | | 48767-8 |
| 608676 | Method | Alphanumeric | | 85069-3 |
| 608677 | Genes Analyzed | Alphanumeric | | 48018-6 |
| 608678 | Disclaimer | Alphanumeric | | 62364-5 |
| 608679 | Released By | Alphanumeric | | 18771-6 |

LOINC and CPT codes are provided by the performing laboratory.

Supplemental Report:

Supplemental

CPT Code Information:

81443

88233-Tissue culture, skin, solid tissue biopsy (if appropriate)

88240-Cryopreservation (if appropriate)

MAYOCLINIC
LABORATORIES Methylmalonic Aciduria-Propionic Aciduria Combined Gene Panel,
Varies Varies

Reflex Tests:

| Test ID | Reporting Name | CPT Units | CPT Code | Always Performed | Orderable Separately |
|---------|-------------------------------------|-----------|----------|---------------------|-------------------------|
| CULFB | Fibroblast Culture for Genetic Test | | | No | Yes |

Result Codes for Reflex Tests:

| Test ID | Result ID | Reporting Name | Туре | Unit | LOINC® |
|---------|-----------|------------------------|--------------|------|---------|
| CULFB | 52327 | Result Summary | Alphanumeric | | 50397-9 |
| CULFB | 52329 | Interpretation | Alphanumeric | | 69965-2 |
| CULFB | 52328 | Result | Alphanumeric | | 82939-0 |
| CULFB | CG770 | Reason for Referral | Alphanumeric | | 42349-1 |
| CULFB | CG899 | Specimen | Alphanumeric | | 31208-2 |
| CULFB | 52331 | Source | Alphanumeric | | 31208-2 |
| CULFB | 52332 | Method | Alphanumeric | | 85069-3 |
| CULFB | 54625 | Additional Information | Alphanumeric | | 48767-8 |
| CULFB | 52333 | Released By | Alphanumeric | | 18771-6 |

Reference Values:

An interpretive report will be provided.